



RIMO



alloy spacers for vertical adjustment of chassis



rear axle with 3 bearing housings



unrotatable silent block carrier



steering arm made of high-grade alloy steel



weight adjusting system 30 kg (optional)



TÜV approved and certified safety

The evolution is one step forward

RIMO presents the EVO5. Technically completely recovered and trend-setting new design, RIMO created an absolutely high-class rental-kart. Strong and athletic appearance with an impressive dynamic the EVO5 rapidly surpasses all its predecessors.

Quality and safety - as it has always been RIMO's priority - is written with capital letters, of course. The EVO5 is setting an evolutionary accent in the sector of rental karts, which is hard to be surpassed.

EVO5 - the new evolution is coming!

Frame: 31,8 mm frame made with special alloy and heat-treated for strength and longevity

Drive Shaft: 30 mm rear axle with 3 bearing housings for easy mounting of rear axle

Brakes: Mechanical break with double-safety pulley system or hydraulic (optional)

Drive: Chain 1/2 inch Transmission drivebelt (option)

Engine: Honda GX 160 4.0 KW (5.5 HP)
Honda GX 200 4.8 KW (6.5 HP)
Honda GX 200 6.25 KW (8.5 HP)
Honda GX 270 6.6 KW (9.0 HP)
Honda GX 270 9.5 KW (13.0 HP)

Weight: 108 kg (EVO5 standard)

L/W/H: 1880mm / 1300mm / 600mm




**Made
in Germany**



*ergonomically positioned
steering wheel*



*ergonomic
steering wheel*



gas re-equipment



*quick release fastener
(und detachable)*



height adjustable chassis with alloy spacers (± 13 mm)

hydraulic brake (option)

CrMo-double tube surroundbumper fixed on rubber donuts all around

front rubber bumper (option)

pedal extension (option)

improved control arm (spindle) with reinforced inner-bearing. Height adjustable (individual for every track) for amount of grip

special, adjustable upper bearing for steering shaft (option)

chassis-identification number

reinforced side wings

DUNLOP tires on single part aluminum wheels (other types possible)

plastic surround bumper or plastic bound to supply the standard bumper(option)

gas cable protection

ergonomically positioned steering wheel

chain/drive-belt cover in aluminium

individual bodyworkdesign (option)

extra surround protection tube for engine

fuel tank - side mounted, extra protection for tank

Honda engine series GX (5.5/6.5/8.5/9.0/13 HP)

weight adjusting system max. 30kg (option)

RIMO premium steering wheel

cover for engine and gear box

centrically arranged steering posts in front of seat

new special bearings for rear axle (option)

gas cap integrated fuel level control

brake disc protection (option), 2-piston hydraulic brake, self adjustable (option), brake pad quick release

unrotatable silent block carrier

HJS - silencer

axle-cover with 4 undetachable quick release fastener

extra surround protection tube for axle cover, converter and rear wheels

RiMO
makes the difference!